

EAST 09/01/04

120	3	tunnel same (back\$1end or back\$1bone) with server same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:27
-	41	session same secure same request same (map\$3 or table) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:51
-	26	(session same secure same request same (map\$3 or table) and @ad<20000929) not worldcom.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:56
-	308	session adj (id or identification or value) same (map\$4 or table or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:25
-	30772	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:57
-	124	(session adj (id or identification or value) same (map\$4 or table or assign\$4) and @ad<20000929) and (("709").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:57
-	13	((session adj (id or identification or value) same (map\$4 or table or assign\$4) and @ad<20000929) and (("709").CLAS.)) and SSL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:06
-	22	("4649233" "5455863" "5524052" "5671279" "5745681" "5754656" "5757917" "5774660" "5796952" "5805803" "5826242" "5848161" "5852666" "5875296" "5884024" "6006264" "6023722" "6041357" "6076108" "6163772" "6560717" "6606708" "2001/0052024" "2002/0120743").PN.	USPAT	2004/08/31 14:03
-	2	("5,774,660").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:06
-	13	load adj balancing same tunnel and @ad<20000929 and (("709").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:31
-	0	load adj balancing and ssl same tunnel and @ad<20000929 and (("709").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:31
-	9	ssl same tunnel and @ad<20000929 and (("709").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:01

L Number	Hits	Search Text	DB	Time stamp
108	34	ssl same tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:01
109	7	ssl same tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:03
110	70	(preestablished or established) near4 tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:16
111	2	(preestablished or established) near4 tunnel same (map\$4 or table or associat\$3 or assign\$4) and ssl and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:14
112	0	tunnel adj (id or identification) same (map\$4 or table or associat\$3 or assign\$4) and ssl and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:11
113	19	tunnel adj (id or identification) same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:11
114	0	(existing) near4 tunnel same (map\$4 or table or associat\$3 or assign\$4) and ssl and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:14
116	0	(plurality)adj4 tunnel same (map\$4 or table or associat\$3 or assign\$4) and ssl and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:17
115	79	(plurality)adj4 tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:26
117	30772	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:17
118	7	((("709").CLAS.) and ((plurality)adj4 tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:21
119	27	((("709").CLAS.) and ((preestablished or established) near4 tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:21

L Number	Hits	Search Text	DB	Time stamp
1	143	((("709").CLAS.) and (e\$commerce or commerce) and ssl and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:08
2	0	((("709").CLAS.) and (e\$commerce or commerce) and ssl same persistence and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:07
4	3	((("709").CLAS.) and (e\$commerce or commerce) same persistence and ssl and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:08
5	88	((("709").CLAS.) and (e\$commerce or commerce) and ssl same (connection or session) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:44
6	22	("4649233" "5455863" "5524052" "5671279" "5745681" "5754656" "5757917" "5774660" "5796952" "5805803" "5826242" "5848161" "5852666" "5875296" "5884024" "6006264" "6023722" "6041357" "6076108" "6163772" "6560717" "6606708" "2001/0052024" "2002/0120743").PN.	USPAT	2004/09/01 11:11
7	97	tunnel near4 assign\$3 and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:42
8	18	((("709").CLAS.) and tunnel near4 assign\$3 and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 14:26
9	44	((("709").CLAS.) and (e\$commerce) and ssl same (connection or session) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:45
10	4	((("709").CLAS.) and (e\$commerce) and ssl same (connection or session) and ((server adj farm) or cluster) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:18
11	6	((("709").CLAS.) and backend same frontend same server and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:19
12	1	((("709").CLAS.) and backend near10 tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:20
13	8	((("709").CLAS.) and established near10 tunnels same (time or reduc\$3 or sav\$3) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:04

14	4	((("6,023,722") or ("6,272,492"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:39
15	2	6272492.URPN.	USPAT	2004/09/01 12:42
16	23	("5457797" "5511197" "5530852" "5623601" "5694546" "5696898" "5710918" "5715453" "5721908" "5734891" "5848410" "5864827" "5873077" "5913215" "5924090" "5933832" "5960404" "5963965" "5978381" "5978847" "5991713" "5991810" "6112242").PN.	USPAT	2004/09/01 12:42
17	7	((("709").CLAS.) and exist\$3 near10 tunnels same (time or reduc\$3 or sav\$3) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:45
18	300	((("709").CLAS.) and exist\$3 near10 connection same (time or reduc\$3 or sav\$3) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:46
19	209	((("709").CLAS.) and exist\$3 near3 connection same (time or reduc\$3 or sav\$3) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:46
20	67	((("709").CLAS.) and exist\$3 adj connection same (time or reduc\$3 or sav\$3) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:26
21	3	((("709").CLAS.) and tunnel same (time or reduc\$3 or sav\$3) near6 (processing or overhead) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:54
22	248	tunnel same (time or reduc\$3 or sav\$3) near6 (processing or overhead) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:55
23	22	tunnels! same (time or reduc\$3 or sav\$3) near6 (processing or overhead) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 12:55
24	25	((("709").CLAS.) and (assign\$3 near4 socket) same server and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:07
25	141	((("709").CLAS.) and ((load adj balanc\$3) or dispatch\$3) same assign\$4 with server and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:12
26	1	((("709").CLAS.) and ((load adj balanc\$3) or dispatch\$3) same assign\$4 with tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:13

27	5	((("709").CLAS.) and ((load adj balanc\$3) or dispatch\$3) and assign\$4 with tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:16
28	17	((("709").CLAS.) and ((load adj balanc\$3) or dispatch\$3) and assign\$4 with encrypt\$3 and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:18
29	131	((("709").CLAS.) and ((load adj balanc\$3) or dispatch\$3) and assign\$4 near4 channel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:18
30	14	((("709").CLAS.) and ((load adj balanc\$3) or dispatch\$3) same assign\$4 near4 channel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:19
31	102	((("709").CLAS.) and ((load adj balanc\$3) or dispatch\$3) and (exist\$3 near4 channel) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:19
32	50	((("709").CLAS.) and ((load adj balanc\$3) or dispatch\$3) and (exist\$3 near4 channels!) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:21
33	1	((("709").CLAS.) and ((load adj balanc\$3) or dispatch\$3) same (exist\$3 near4 channels!) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:19
34	2	((("709").CLAS.) and ((load adj balanc\$3) or dispatch\$3) and (exist\$3 near4 channels!) same (secure or encrypt\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:23
35	10	((("709").CLAS.) and qos same tunnels! and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:25
36	9	((("709").CLAS.) and qos same load adj balancing and tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:25
37	18	((("709").CLAS.) and exist\$3 adj connection same (assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:33
38	0	((("709").CLAS.) and qos near4 middleware and tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:34
39	0	qos near4 middleware and tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:34

40	0	("709").CLAS.) and qos same middleware and tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 13:34
41	25	("709").CLAS.) and tunnel with assign\$3 and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 14:26
-	1	preexist\$3 same (connection or session) same tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:21
-	191	exist\$3 same (connection or session) same tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:23
-	38	exist\$3 same (connection or session) same tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:47
-	0	backend adj tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:47
-	2	backend same tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:47
-	0	tunnel adj assignment same (map\$4 or table or associat\$3 or assign\$4) and ssl and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:51
-	1	tunnel adj assignment same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:52
-	1	tunnel adj assignment and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:35
-	1071	((load adj balanc\$3) or dispatch\$3) same servers! and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:55
-	25	((load adj balanc\$3) or dispatch\$3) same servers! and @ad<20000929) and tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:23
-	22	US-6044402-\$.DID. OR US-6466976-\$.DID. OR US-6094437-\$.DID. OR US-5949755-\$.DID. OR US-6154775-\$.DID. OR US-6236655-\$.DID. OR US-6412003-\$.DID. OR US-6438612-\$.DID. OR US-6609153-\$.DID. OR US-6651096-\$.DID. OR US-6654792-\$.DID.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 17:59

-	628	((forward\$3 or rout\$3) same tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:24
-	91	((("709").CLAS.) and ((forward\$3 or rout\$3) same tunnel same (map\$4 or table or associat\$3 or assign\$4) and @ad<20000929)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:34
-	17	((("709").CLAS.) and multiple adj tunnels!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:36
-	26	((("709").CLAS.) and ((server adj farm) or cluster) same tunnel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:44
-	85	((("709").CLAS.) and ((content or web) adj server) same tunnel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:44
-	34	((("709").CLAS.) and ((content or web) adj server) same tunnel and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:50
-	92	((("709").CLAS.) and ((content or web) adj server) same (\$3established near2 connection) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:51
-	1	((("709").CLAS.) and ((backend) adj server) same (\$3established near2 connection) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:50
-	33	((("709").CLAS.) and ((content or web) adj server) with (\$3established near2 connection) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:54
-	10	((("709").CLAS.) and ((content or web) adj server) with (maintains adj2 connection) and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 18:55
-	3	((("709").CLAS.) and (load adj balanc\$3) same secure adj connection and @ad<20000929	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:07